SAFETY DATA SHEET (SDS)



Jacquard Products Manufactured by Rupert, Gibbon & Spider, Inc. P.O. Box 425 | Healdsburg, CA 95448 800.442.0455 | Fax: 707.433.4906 www.jacquardproducts.com

Piñata Alcohol Ink (Standard Colors) & Claro Extender - Pg I

Fax: (03) 9583 4399

13 11 26

Revision Date: 04/23/2018

Company Phone Number:

Emergency telephone Numbers:

SECTION I - CHEMICAL, PRODUCT & COMPANY INFORMATION

Product Name:	PIÑATA ALCOHOL INI	K & CLARO EXTENDER	
Product Number/Code:	002-031 (STANDARD C	OLORS), JFC1001, JFC2001, JFC1KIT	
Recommended Use:	Ink & ink medium for hard	surfaces	
Restrictions on use:	None known		
Manufacturer:	Rupert, Gibbon & Spider, In 1147 Healdsburg Ave. Healdsburg, CA 95448 1-800-442-0455 / 707-433		
Emergency Number:	ChemTel, Inc Contract #MIS9128344		
	North America: I-800-255-3924	International: I-813-248-0585	
Details of Distributor:			
Company Name:	Rossdale PTY LTD	Rossdale PTY LTD	
Company Adress:	351-353 Warrigal Road Chel	351-353 Warrigal Road Cheltenham 3192 Australia	

(03) 9583 4411

Poisons Information

SECTION 2 - HAZARD(S) IDENTIFICATION

Toxicological Data on Ingredients:			
Hazard Classification			
Physical Hazards:	Flammable liquids	Category 2	
Health Hazards:	Acute toxicity, oral	Category 4	
	Skin Irritant	Category 2	
	Eye Irritant	Category 2A	
Environmental Hazards:	Not classified	<u>'</u>	
Label Elements	'		

Pictogram:



Signal Words:	DANGER, WARNING

H225 Highly flammable liquid and vapor. **Hazard Statements-EU:**

H302 Harmful if swallowed. H315 Causes skin irritation.

H319 Causes serious eye irritation.

P305+P35 I+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

CAS#

64-17-5

71-23-8

108-21-4

6358-36-7

9004-70-0

2390-60-5

67-63-0

2807-30-9

P332+P313 IF SKIN irritation occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention. P362 Take off contaminated clothing and wash before reuse.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see product label).

P363 Wash contaminated clothing before reuse.

Precautionary Statements-EU: Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/lighting/equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P260 Do not breathe mist/vapors/spray. P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves/protective clothing/eye protection. Response: P301+P312 If swallowed: Call a poison center/doctor if you feel unwell. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P302+P352 P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

national/international regulations.

Ethanol

propan-I-ol isopropyl acetate

Basic Blue 7

Propan-2-ol

Basic yellow 37

2-(propyloxy)ethanol

Nitrocellulose, colloided, granular

Chemical identity	Content in percent (%)*
SECTION 3 - COMPOSITION / INFORMATION ON	INGREDIENTS

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret.

For the wording of the listed Hazard Statements, refer to section 16.

	5
Hazard(s) not otherwise classified:	There are no other hazards not otherwise classified that have been
	identified.

50-70%

10-20%

<10%

<10%

≤ 5%

≤ 5%

≤ 5%

≤ 5%

	P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
Storage:	P403+P235 Store in a well-ventilated place. Keep cool.
Disposal:	P501 Dispose of contents/container in accordance with local/regional/

Immediately remove any clothing soiled by the product. Immediately wash with water and soap and rinse thoroughly. If skin irritation or rash

Remove contact lenses if worn. Rinse opened eye for several minutes

Supply fresh air; consult doctor in case of complaints. Provide oxygen

Irritating to eyes and skin. Coughing, dizziness, if inhaled. Breathing diffi-

culty. May cause gastrointestinal irritation if ingested. Nausea in case of

CO2, extinguishing powder or water spray. Fight larger fire with alcohol

Formation of toxic gases is possible during heating or in case of fire.

Protective equipment: Wear self-contained respiratory protective device.

Avoid release to the environment. Inform respective authorities in case

See Section 8 for information on personal protection equipment.

Rinse out mouth and then drink plenty of water. Do not induce vomiting;

under running water. If symptoms persist, consult a doctor.

treatment if affected person has difficulty breathing.

ingestion. DANGER: Harmful if swallowed.

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

occurs: Get medical advice/attention.

immediately call for medical help.

Treat symptomatically.

resistant foam.

Water stream

SECTION 4 -	FIRST	AID	MEASURES
- • • •			

Description of first aid measures:
In the event of skin contact:

delayed:

In the event of eye contact:

In the event of swallowing:

In the event of exposure by inhalation:

Most important symptoms and effects, acute and

Indication of any immediate medical attention and special treatment needed:

SECTION 5 - FIREFIGHTING MEASURES

Suitable extinguishing media:

Unsuitable extinguishing media: Special hazards arising from the substance or mixture: Advice for fire fighters:

Additional information: Eliminate all ignition sources if safe to do so. Cool endangered receptacles with water spray.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Ensure adequate ventilation. Use personal protective equipment as re-

Personal precautions, protective equipment and emergency procedures:

Methods and material for containment and clean up:

Environmental procedures:

Reference to other sections:

quired. Keep away from ignition sources. Protect from heat

Absorb with non-combustible liquid-binding material (sand, diatomite, acid binders, universal binders). Dispose of the collected material according to regulations.

Wear fully protective suit.

of seepage into water course or sewage system. See Section 7 for information on safe handling.

See Section 13 for disposal information.

SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling: Use only in well ventilated areas. Avoid splashes or spray in enclosed areas. Keep out of reach of children. Highly flammable liquid and vapor. Keep ignition sources away - Do not Information about protection against explosions and

fires: Conditions for safe storage including any incompatibilities:

Store locked up.

No relevant information available.

smoke. Protect against electrostatic charges.

Requirements to be met by storerooms and receptacles: Avoid storage near extreme heat, ignition sources or open flame. Store in cool, dry conditions in well sealed receptacles. Information about storage in one common storage facility: Store away from foodstuffs. Store away from oxidizing agents. Further information about storage conditions:

Piñata Alcohol Ink (Standard Colors) & Claro Extender - Pg 4

Specific end use(s):

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters:		I	
Components with limit values that	64-17-5	PEL (USA):	Long-term value: 1,900 mg/m³, 1,000 ppm
require monitoring at the workplace:	Ethanol:	REL (USA):	Long-term value: 1,900 mg/m³, 1,000 ppm
		EV (Canada):	Long-term value: 1,900 mg/m³, 1,000 ppm
		LMPE (Mexico):	Long-term value: 1000 ppm A3
	2807-30-9 2 (propyloxy) ethanol:	EV (Canada):	Long-term value: I I 0 mg/m³, 25 ppm Skin
	71-23-8	PEL (USA):	Long-term value: 500 mg/m³, 200 ppm
	propan-I-ol:	REL (USA):	Short-term value: 625 mg/m³, 250 ppm Long-term value: 500 mg/m³, 200 ppm Skin
		TLV (USA):	Long-term value: 246 mg/m³, 100 ppm
		EL (Canada):	Long-term value: 100 ppm
		EV (Canada):	Long-term value: 100 ppm
		LMPE (Mexico):	Long-term value: 100 ppm A4
	108-21-4	PEL (USA):	Long-term value: 950 mg/m³, 250 ppm
	isopropyl acetate:	TLV (USA):	Short-term value: NIC-626 mg/m³, NIC-150 ppm Long-term value: NIC-417 mg/m³, NIC-100 ppm
		EL (Canada):	Short-term value: 200 ppm Long-term value: 100 ppm
		EV (Canada):	Short-term value: 200 ppm Long-term value: 100 ppm
		LMPE (Mexico):	Short-term value: 200 ppm Long-term value: 100 ppm
	67-63-0 Propan-2-ol:	PEL (USA):	Long-term value: 980 mg/m³, 400 ppm
		REL (USA):	Short-term value: I225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
		TLV (USA):	Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI
		EL (Canada):	Short-term value: 400 ppm Long-term value: 200 ppm
		EV (Canada):	Short-term value: 400 ppm Long-term value: 200 ppm
		LMPE (Mexico):	Short-term value: 400 ppm Long-term value: 200 ppm A4, IBE
Ingredients with biological limit values:	67-63-0 Propan-2-ol:	BEI (USA):	40 mg/L Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)
Standard Name CAS No. TWA name	TIMA STELL	onm STEI	Netes

Standard Name	CAS No	TWA ppm	TWA (mg/m3)	STEL ppm	STEL (mg/m3)	Notes
Ethyl alcohol ;Ethanol;	64-17-5	1000	1880	-	-	Referenced Safe Work Australia Exposure Standards
Propyl alcohol ;Propan-1- ol;	71-23-8	200	492	250	614	Referenced Safe Work Australia Exposure Standards
Isopropyl acetate	108-21-4	250	1040	310	1290	Referenced Safe Work Australia Exposure Standards
Isopropyl alcohol ;Propan-2-ol;	67-63-0	400	983	500	1230	Referenced Safe Work Australia Exposure Standards

www.jacquardproducts.com

Fax: 707.433.4906

SAFETY DATA SHEET (SDS)

Eye/face protection:

Skin protection:

Hand protection:

into the environment:

Risk management measures:

Limitation and supervision of exposure

Individual protection measures, such as personal protective equipment:

Safety glasses

Protective gloves

the preparation.

Protective work clothing

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 |

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

Avoid contact with the eyes and skin.

No relevant information available.

No relevant information available.

Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Do not eat, drink or smoke while using the product. Immediately remove all soiled and contaminated clothing.

Do not breathe dust/fume/gas/mist/vapors/spray.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

800.442.0455

Follow relevant national guidelines concerning the use of protective eye wear.

The glove material has to be impermeable and resistant to the product/the substance/

General information:		
Appearance and physical state:	Liquid	
Color:	According to product specification.	
Type of Odor:	Not determined	
Odor threshold:	Not determined	
Important health, safety and environment	al information:	
Initial Boiling Point and Boiling Range:	>35°C (>95°F)	
Melting Point/Freezing Point:	Not determined	
Flammability Classification:	Not applicable	
Flash Point:	14°C (57.2°F)	
Auto-ignition Temperature:	Not determined	
Decomposition Temperature:	Not determined	
Flammability Limits (lower/upper):	Not determined	

Not determined Evaporation rate: Vapor Pressure: Not determined Vapor Density (Air=1): Not determined

Octanol/Water Partition Coefficient (log Pow): Not determined Not determined

Specific Gravity: **Bulk Density:** Not determined Not miscible or difficult to mix. Water Solubility: Not determined pH:

Explosive Properties: Product is not explosive. However, formation of explosive air/ vapor mixtures are possible. Oxidizing Properties: Non-oxidizing Molecular Formula: Not determined Molecular Weight: Not determined Relative Density:

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: Stability:

Possibility of hazardous reactions:

Not determined No relevant information available.

> Reacts violently with oxidizing agents. Can form explosive mixtures in air if heated above flash point and/or when sprayed or atomized.

Highly flammable liquid and vapor.

Stable under normal temperatures and pressures.

Used empty containers may contain product gases which form explosive mixtures with air. Oxidizers, strong bases, strong acids Carbon monoxide, carbon dioxide, oxides of nitrogen and sulfur

conditions only):

Viscosity (dynamic, kinematic):

Hazardous decomposition products (under fire

Not determined

Toxic fumes may be released if heated above the decomposition point.

Excessive heat

Chlorine compounds

SAFETY DATA SHEET (SDS)

Information on toxicological effects: Acute toxicity: Harmful if swallowed

2807-30-9 2-(propyloxy)ethanol:

2390-60-5 Basic Blue 7:

6358-36-7 Basic yellow 37: Primary irritant effects:

Carcinogenic categories:

Possible routes of exposure:

Germ cell mutagenicity:

Reproductive toxicity:

STOT-single exposure:

Aspiration hazard:

STOT-repeated exposure:

Carcinogenicity:

NTP (National Toxicology Program):

64-17-5 Ethanol:

Skin Contact:

Eye Contact:

Sensitization:

LD/LC50 values that are relevant for classification:

IARC (International Agency for Research on Cancer):

OSHA-Ca (Occupational Safety & Health Administration):

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 |

SECTION 11 - TOXICOLOGICAL INFORMATION

800.442.0455

Piñata Alcohol Ink (Standard Colors) & Claro Extender - Pg 8

www.jacquardproducts.com

Fax: 707.433.4906

Oral: LD50 7,060 mg/kg (rat)

Oral: LD50 100 mg/kg (rat)

Causes eye irritation.

64-17-5 Ethanol I

13463-67-7 titanium dioxide

None of the ingredients are listed.

None of the ingredients are listed.

Ingestion, inhalation, eye contact, skin contact.

Inhalative: LC50/4h 20,000 mg/l (rat)

Dermal: LD50 1,300 mg/kg (rabbit)

Dermal: LD50 >2,500 mg/kg (rabbit) Oral: LD50 >50-300 mg/kg (rat)

Irritant to skin and mucous membranes.

Oral: LD50 2,260 mg/kg (mouse); 3,100 mg/kg (rat)

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

2B

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Fax: 707.433.4906 Healdsburg, CA 95448 800.442.0455 www.iacquardproducts.com

SECTION 12 - FCOLOGICAL INFORMATION

Toxicity:
Aquatic toxicity:

Toxic to aquatic life with long lasting effects: 2390-60-5 Basic Blue 7

LC50 < I mg/l (daphnia)

No relevant information available. No relevant information available.

No relevant information available. No relevant information available.

Avoid release to the environment. Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment cannot be excluded.

Container Disposal:

Persistence and degradability:

Bioaccumulative potential:

Other adverse effects:

Additional information:

Mobility in soil:

SECTION 13 - DISPOSAL CONSIDERATIONS

Waste treatment methods:

The user of this material has the responsibility to dispose of unused

material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and

Piñata Alcohol Ink (Standard Colors) & Claro Extender - Pg 9

Disposal:

disposal for hazardous and non-hazardous wastes. Disposal must be made according to official regulations.

SECTION 14 - TRANSPORT INFORMATION

PACKING GROUP (DOT, ADR, IMDG, IATA):	2			
DOT:				
DOT Proper Shipping Description:	Printing Ink			
Hazard Class:	3			
Placard:	Flammable Liquids			
Marine Pollutant:	Yes - Product contains environmentally hazardous substances: Basic yellow 37, Basic Blue 7			
Transport/additional information:	Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each. Labeling as a Marine Pollutant is only required for bulk single package shipments. Bulk packaging consists of a maximum capacity of greater than 450 L (119 gallons) for a liquid and a maximum net mass greater than 400 kg (882 pounds) for a solid. (See 171.4(c)).			
IMDG:				
UN number:	UN1210			
UN proper shipping name:	Printing Ink			
Hazard Class:	3			
Placard:	Flammable Liquids			
EMS No.:	F-E, S-D			
Marine Pollutant:	Yes - Product contains environmentally hazardous substances: Basic yellow 37, Basic Blue 7			
Transport/additional information:	Limited Quantity for packages less than 30 kg gross and inner packagings less than 5 L each. Marine pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids are not subject to provisions relevant to marine pollutants. (See 2.10.2.7)			
IATA:				
UN No:	UN1210			
Hazard Class:	3			
Packing group (DOT):	2			
Placard:	Flammable Liquids			
EMS No.:	F-E, S-D			
Transport/additional information:	Limited Quantity for packages less than 30 kg gross and inner packagings less than 0.5 L each /I L net.			
ADR:				
Hazard Class:	3 (F1) Flammable liquids			
Label:	3			
Transport/additional information:	Limited Quantity for packages less than 30kg gross and inner packagings less than 5 L each. Marine pollutants packaged in single or combination packagings containing a net quantity per single or inner packaging of 5 L or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids are not subject to provisions relevant to marine pollutants (See 5.2.1.81.).			

Road and Rail Transport: Dangerous goods are defined in the Dangerous Goods Act 1985 and are classified in the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG 7.4 Code) according to their common hazardous properties.

UN No: 1210

Proper Shipping Name: Printing Ink, flamable or printing Ink related material, flammable

Dangerous Goods Class: 3 Packing Group: ||

Hazchem Code: 3



Special precautions for user:		
Warning: Flammable Liquids		
Danger code (Kemler):	33	
EMS number:	F-E,-S-D	
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:	Not applicable	

SECTION 15 - REGULATORY INFORMATION

Hazard categories	
Section 302 (extremely hazardous substances):	None of the ingredients are listed.
Section 355 (extremely hazardous substances):	None of the ingredients are listed.
Section 313 (specific toxic chemical listings):	67-63-0 Propan-2-ol
TSCA (Toxic Substances Control Act):	All ingredients are listed.
Proposition 65 (California):	Used as directed, this product will NOT expose you to chemicals known to cause cancer.
	Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product. Reference to titanium dioxide is based on unbound respirable particles and is not generally applicable to product as supplied. 64-17-5 Ethanol 13463-67-7 titanium dioxide
Chemicals known to cause developmental toxicity for females:	None of the ingredients are listed.
Chemicals known to cause developmental toxicity for males:	None of the ingredients are listed.
Chemicals known to cause developmental toxicity:	Ethanol - listing refers specifically to alcoholic beverage consumption and is not applicable for product. 64-17-5 Ethanol
EPA (Environmental Protection Agency):	None of the ingredients are listed.
IARC (International Agency for Research on Cancer):	64-17-5 Ethanol 13463-67-7 titanium dioxide
NIOSH-Ca (National Institute for Occupational Safety and Health):	Present in trace quantities: 13463-67-7 titanium dioxide

This material is not subject to the following International agreements;

- Montreal Protocol (Ozone depleting substances)8
- The Stockholm Convention (Persistent Organic Pollutants)9
- The Rotterdam Convention (Prior Informed Consent)10
- Basel Convention (Hazardous Waste) and
- International Convention for the Prevention of Pollution from Ships (MARPOL).

SECTION 16 - OTHER INFORMATION

HMIS Hazard ID:		
Health:	No information available	
Flammability:	No information available	
Reactivity:	No information available	
Hazard rating: 0 - Minimal; I - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; *Chronic health effect		

Disclaimer:

The information contained in this SDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider, Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider, Inc. urges each customer or recipient of this SDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this SDS.

Revision Date: 04/23/2018

SAFETY	DATA	SHEET	(SDS)
--------	------	-------	-------

Piñata Alcohol Ink (Standard Colors) & Claro Extender - Pg 12

National Chemical Inventories:

EINECS

ENCS

AICS

PICCS

IECSC

All components of this product are listed on the following chemical substance inventories: TSCA (USA) DSL (Canada)

> (Europe) (Japan) ECL

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 |

(Korea)

(Australia) NZIoC (New Zealand)

(China)

(Philippines)

Fax: 707.433.4906 | www.jacquardproducts.com

Abbreviations:				
ACGIH	American Conference of Governmental Industrial Hygienists			
ADG	Autsralian Dangerous Gooods			
ADR	International carriage of Dangerous goods by Road			
AICS	Australian Inventory of Chemical Substances			
ATE	Acute Toxicity Estimate			
BfR	Bundesinstitut für Risikobewertung recommendations for food contact materials			
BCF	Bioconcentration Factor			
BOD5	5-day Biochemical Oxygen Demand			
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act			
CLP	Classification, Labeling and Packaging regulation			
COD	Chemical Oxygen Demand DOT Department of Transportation DSL Domestic Substances List			
EINECS	European Inventory of Existing Chemical Substances			
ECL	Existing Chemicals List (Korea)			
ENCS	Existing and New Chemical Substances Inventory (Japan)			
EN 689	Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy.			
ERG	Emergency Response Guide			
GHS	Globally Harmonized System			
HMIS	Hazardous Materials Information System IARC International Agency for Research on Cancer IATA International Air Transport Association			
ICAO	International Civil Aviation Organization IDLH Immediately Dangerous to Life and Health IMDG International Maritime Dangerous Goods			
LD50	Lethal Dose to 50% of test animal population			
MAK	Maximale Arbeitsplatz Konzentration			
NTP	National Toxicology Program			
OEL	Occupational Exposure Limit			
OSHA	Occupational Safety & Health Administration			
PBT	Persistent, Bioaccumulative and Toxic vPvB Very Persistent and Very Bioaccumulative PEL Permissible exposure limit			
PICCS	Philippine Inventory of Commercial Chemical Substances			
PNEC	Predicted No Effect Concentration			
REACH	Registration, Evaluation and Authorization of Chemical Substances			
RID	International carriage of dangerous goods by Rail SARA Superfund Amendments and Reauthorization Act STEL Short Term Exposure Limit			
SVHC	Substance of Very High Concern			
TLV	Threshold Limit Value			
TSCA	Toxic Substances Control Act			
TWA	Time Weighted Average			
VOC	Volatile Organic Compound			
WGK	Wassergefahrdungsklasse (Water Hazard Class) WHMIS Workplace Hazardous Material Identification System			